BINDURA UNIVERSITY OF SCIENCE EDUCATION **BIOLOGICAL SCIENCES DEPARTMENT**

BScBZH MYCOLOGY (BZH110) 5- 7NW 5053

EXAMINATION 2 HOURS (100 MARKS)

INSTRUCTIONS TO CANDIDATES

Answer FOUR questions. You MUST answer QUESTION 1 (Section A) and any THREE questions from section B. Each question carries 25 MARKS. Where a question contains subdivisions, the mark value of each sub-division is given in brackets. Illustrate your answer where appropriate with large clearly labelled diagrams. You should not spend more than thirty minutes on each question.

SECTION A (COMPULSORY)

- 1. Describe
 - (a) any TWO methods of observing fungal cultures under the microscope. (10 marks)

(b) any FIVE methods used to maintain and preserve fungal cultures.

(15 marks)

SECTION B

- 2. Assess the impact of fungal infection on plants.
- 3. Describe the nutritional requirements of a fungus.
- 4. Write short notes on any FIVE of the following:

(a) Characteristic features of fungi.

(5 marks)

(b) Flagellate fungi.

(5 marks)

(c) Ascomycota.

(5 marks)

(d) Penicillium notatum.

(5 marks)

(e) Biocontrol agents.

(5 marks)

(f) Aseptate hypha.

(5 marks)

5. Identify symbiotic relationships fungi form with:

(a) animals and insects.

(10 marks)

(b) plants.

(10 marks)

(c) other microorganisms.

(5 marks)

6. Discuss the applications of fungi in food and agriculture.

END OF EXAMINATION QUESTION PAPER

BINDURA UNIVERSITY OF SCIENCE EDUCATION FACULTY OF SCIENCE AND ENGINEERING DEPARTMENT OF OPTOMETRY

BACHELOR OF SCIENCE HONOURS DEGREE IN OPTOMETRY

OPTC 109 (1): PHYSIOLOGICAL OPTICS I Time Allowed: 3 HOURS – (100 Marks)

Instruction: Attempt ALL questions in BOTH sections.



Section A. In this section there is stem and five responses. Indicate against each response whether is TRUE or FALSE

- 1. In the schematic eye of Gullstrand:
 - a. the human model eye is based on the principal of thick lenses
 - b. the eye is about 24.0 mm in axial length
 - c. the nodal points lie on either side of the posterior surface of the lens
 - d. the nodal points coincide with the principal points
 - e. the cornea contributes 2/3 to the power of the eye
- 2. In the reduced eye of Listing:
 - a. the refractive power is stronger than that of the schematic eye of Gullstrand
 - b. the whole eye is regarded as a single refractive surface
 - c. the second focal point lies on the retina
 - d. the nodal point lies at the posterior surface of the lens
 - e. the principal plane lies at the anterior surface of the lens
- 3. The following definitions are true for accommodation:
 - a. the far point of distinct vision of an emmetropic eye is at infinity
 - b. the near point of distinct vision refers to clear near vision when maximum accommodation is used.
 - c. range of accommodation is the difference in dioptric power between the eye at rest and the fully accommodated eye
 - d. dynamic refraction refers to the dioptric power of the accommodated eye
 - e. static refraction refers to the dioptric power of a resting eye
- 4. Regarding accommodative convergence / accommodation ratio:
 - a. the eye could not accommodate in the absence of convergence
 - b. the normal range of accommodative convergence/ accommodation ratio is 3:1 to 5:1
 - c. the interpupillary distance needs to be known if the ratio is to be calculated using the gradient method
 - d. the value obtained using the heterophoria method tends to be lower than that calculated using the gradient method
 - e. esotropia that occurs as a result of too high an AC/A ratio tends to have a larger angle of deviation for near than for distance.

- 5. The catoptric images:
 - a. are formed at the refracting interfaces of the eye
 - b. can be used to measure the ocular accommodation
 - c. are all virtual images
 - d. are all erect images
 - e. are made up of 2 images produced by the cornea and 2 images by the crystalline lens
- 6. The first image of the captoptric image can be used for:
 - a. measuring ocular deviation in strabismic patient
 - b. keratometry
 - c. measuring accommodation
 - d. measuring corneal thickness
 - e. measuring anterior chamber depth
- 7. The following are true about cones:
 - a. they are taller and thinner in fovea
 - b. they are absent in the optic disc
 - c. 90% of the cones in the retina is situated outside the central 5 degrees of the macula
 - d. the red and green pigments are encoded on the long arm of X chromosome
 - e. the chromophore of each cone pigment exists as 11-trans-retinal
- 8. With regard to the vestibular system:
 - a. it is concerned with optokinetic nystagmus
 - b. it comprises the semicircular canals, utricle and saccule
 - c. the semi-circular canals respond to linear acceleration of head movement
 - d. the utricle responds to rotational acceleration of head movement
 - e. the saccule responds to linear acceleration of head movement.
- 9. The following are involved in vergence eye movements:
 - a. conjugate movement
 - b. pupillary constriction
 - c. accommodation
 - d. sympathetic pathway
 - e. rapid eye movement
- 10. The following areas are involved in the initiation of a saccadic eye movement:
 - a. inferior colliculus
 - b. posterior parietal cortex
 - c. frontal eye fields
 - d. dorsal prefrontal cortex
 - e. temporal cortex

SECTION B (10 marks)_Choose the most appropriate option from A-D by circling.

10. In the average adult eye, the anterior nodal point N is located

- a. in the anterior chamber.
- b. near the posterior surface of the crystalline lens.
- c. near the anterior surface of the crystalline lens.
- d. near the cornea.
- e. near the retina.

11. In the average, unaccommodated, emmetropic adult eye, the

- a. anterior focal length is longer than the posterior focal length
- b. the radius of curvature of anterior cornea surface is longer than the radius for the posterior corneal surface.
- c. the radius of curvature of anterior lens surface is shorter than the radius for the posterior lens surface
- d. the anterior principal plane is closer to the retina than the posterior principal plane
- e. the refractive index of the vitreous is greater than the refractive index of the aqueous.
- 12. The posterior nodal point of the average adult eye lies
 - a. anterior to the front surface of the cornea.
 - b. within the cornea.
 - c. within the aqueous.
 - d. anterior lens.
 - e. anterior vitreous.
- 13. What is the axial length of an emmetropic eye that has a power of 65D?
 - a. 18.3mm
 - b. 19.2mm
 - c. 20.5mm
 - d. 22.9mm
 - e. 24.2mm
- 14. The principal planes of Gullstrand's exact eye lie
 - a. anterior to the front surface of the cornea
 - b. within the cornea
 - c. within the aqueous
 - d. within the lens

- 15. What happens to the refractive power of the eye if the radius of curvature of the anterior cornea is decreased? a. it increases b. it decreases c. it stays the same d. it may increase or decrease. within the vitreous 16. Which of the following changes will produce a decrease in the total optical
- power of the eye?
 - a. decreases the radius of curvature of the anterior cornea
 - b. increases the radius of curvature of the posterior cornea
 - c. moving the crystalline lens forward toward the cornea
 - d. increase the refractive index of the cornea
 - e, decrease the refractive index of the cornea
- 17. All of the following occur when the lens undergoes accommodation except which one?
 - A. The anterior lens surface shifts forward into the aqueous towards the cornea.
 - B. The posterior lens surface pushes backwards into the vitreous towards the retina
 - C. The lens thickness increases.
 - D. The nodal planes shift towards the principal planes
 - E. The principal planes shift towards the nodal planes
- 18. How many Purkinje images are there?
 - a. 1
 - b. 2
 - c. 3
 - d. 4
 - e. 5
- 19. The first Purkinje image produced in an unaccommodated eye viewing a distant object is
 - a. a real, inverted image located near the posterior surface of the lens.
 - b. a virtual, erect image located near the anterior surface of the lens.
 - c. a virtual, inverted image located in the vitreous chamber.
 - d. a virtual, erect image that is larger than all the other Purkinje images.
 - e. a real, erect image formed at the eye's secondary focal point.

- 20. Which of the Purkinje images changes the most when the eye accommodates from distance to near?
 - a. Purkinje image I
 - b. Purkinje image II
 - c. Purkinje image III
 - d. Purkinje image IV
 - e. None of the PS images changes during accommodation

SECTION B. Attempt all questions in this section_(40 marks)

1.	What Are Entoptic Images?	{2 marks}
2.	What is the essence of entoptic phenomenon? {6 marks}	
3.	State two characteristics of a physiologic halo.	{4 marks}
4.	A friend of yours told you he has been diagnosed of vitreous floaters. He/she was worried if her symptoms will disappear anytime soon. What will be your	
	expert response to your friend and why?	{4 marks}
5.	Recent-onset, innumerable floaters often are due to or	
	Likewise, large, new spider-shaped floaters can be due to	
		{6 marks}
6.	hat two occurrences are the common reasons for one to experience	
	tinal phosphenes? {4 marks}	
7.	Why do infants with low vision taught to rub their eyes incessantly?	
		{4 marks}
8.	nich type of entoptic phenomenon is associated with posterior vitreous	
	detachment, PVD? {2 n	nark}
9.	The Purkinje tree is a good example of how the sep	arates self from
		{4 marks}
10. How the Purkinje Tree is Similar to Posterior vitreous detachment, PVD?		achment, PVD?
		{4 marks}

END OF PAPER