

BINDURA UNIVERSITY OF SCIENCE EDUCATION

MT101: CALCULUS 1

5 - AUG 2022

Time : 3 hours

Answer ALL questions in Section A and at most TWO questions in section B.

SECTION A (40 marks)

Candidates may attempt ALL questions being careful to number them A1 to A5.

A1. Verify that $f(x) = x^3 - x^2 - 6x + 2$ satisfies the hypothesis of Rolle' theorem for the interval $[0, 3]$, then find all c that satisfy the conclusion. [7]

A2. Prove that if a sequence converges, then its limit is unique. [8]

A3. Solve the inequality $|x - 4| < 3$. [5]

A4. Given $f(x) = \frac{x+1}{x-1}$, prove that this function is bijective. [10]

A5. (a) Write down any six indeterminate forms. [3]

(b) Find the area bounded by $y = \cos(x)$, $y = 0$, $x = 0$ and $x = \frac{3\pi}{2}$. [7]

SECTION B (60 marks)

Candidates may attempt TWO questions being careful to number them B6 to B8.

B6. (a) Evaluate $\lim_{x \rightarrow \infty} \left(\frac{\sin(x)^2}{x \sin(x)} \right)$. [5]

(b) Give an $\epsilon - \delta$ definition of the limit of a function. [3]

(c) Use the $\epsilon - N$ definition of a sequence to show that a sequence whose n^{th} term is given by $a_n = 3 - \frac{1}{7n^2}$ converges to 3. [5]

- (d) Show that the sequence $U_n = \frac{2n-7}{3n+2}$ is monotonic increasing. [5]
- (e) State the Mean Value Theorem of differential calculus. [2]
- (f) Given that $f(x) = \sqrt{25-x^2}$ satisfies the Mean Value Theorem on the interval $[-3, 4]$, find the value $C \in [-3, 4]$. [3]
- (g) Given that $y = \frac{x^4}{4x-3}$, sketch the graph showing clearly its asymptotes and stationary points. [7]
- B7.** (a) Verify that the function $f(x) = x^3 + x - 1$ satisfies the Mean Value Theorem in the interval $[0, 2]$. [10]
- (b) The graph of the parabola $x = y^2 - 2$ is NOT the graph of a function of x . Explain why? [4]
- (c) Find the relative extrema for the function $f(x) = 2x^3 - 3x^2 - 36x + 14$. [6]
- (d) Consider the function $f(x) = \frac{x^2-4}{x^2-1}$. State the domain and range of the function. [5]
- (e) Determine the derivative of $y = \sin^{-1}(x)$. [5]
- B8.** (a) State the Second Fundamental theorem of calculus. [3]
- (b) Show that $\int \frac{1}{a^2 + b^2x^2} dx = \frac{1}{ab} \arctan\left(\frac{bx}{a}\right) + k$. [6]
- (c) hence evaluate $\int \frac{1}{2x^2 + 9} dx$. [3]
- (d) Evaluate the following integrals:
- (i) $\int_0^{\frac{1}{2}} \arcsin(x) dx$. [5]
- (ii) $\int \frac{2x^2 - 5x + 2}{x^3 + x} dx$. [5]
- (e) Find the area of the region bounded by $f(x) = 4ax$ and $g(x) = \frac{x^2}{4a}$ in the first quadrant. [8]

END OF QUESTION PAPER